

Safety Information Sheet

Version: 2.0

Date of Issue: 8th July 2019

Date of First Issue: 20th June 2018



MoEL Public Notice No. 2016-19 requires SDS only for hazardous substances and mixtures / preparations. The Mineral fibre according Note Q has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in MoEL 2016-19 to be as informative as possible.

SECTION 1: Chemical products and company identification

Product identifier

Product Name

Mineral Fibres according Note Q

Other Means of Identification

Roxul®1000, Rockbrake®, Rockseal®, Rockforce®, CoatForce®, Lapinus®, RIF41001, RIF48003, ROCKWOOL®

Relevant identified uses of the substance or mixture and uses advised against

Recommended use

Additive in composites

Restrictions on use

No Restrictions on use

Details of the supplier of the safety data sheet

Company Identification

Lapinus
ROCKWOOL B.V
Delfstoffenweg 2
6045 JG Roermond
Netherlands
+31 475 353 555
ra@lapinus.com

Lapinus
ROCKWOOL B.V
P.O. Box 1160
6040 KD Roermond
Netherlands

Telephone

E-Mail (competent person)

Emergency telephone number

Emergency Phone No.

+31 475 353 555

Monday to Friday, 09:00 – 17:00 (GMT +1)

Languages spoken

English

SECTION 2: Hazards identification

Classification of the substance or mixture according to MoEL Public Notice No. 2016-19

Not classified as hazardous for supply/use.

Label elements

Hazard Pictogram(s)

None assigned.

Signal Word(s)

None assigned.

Hazard Statement(s)

None assigned.

Precautionary Statement(s)

None assigned.

Other hazards

Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat.

SECTION 3: Composition/information on ingredients

Substances - Not applicable

Mixtures

Chemical Name (Common and alternative names)	CAS No. or Other Identification Number(s)	Content (%)	Hazard classification
Man-made vitreous (silicate) fibres (MMVF) with random orientation with alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+MgO+BaO) content greater than 18 % by weight]	65997-17-3*	98-100	Not classified - According to Note Q

*Generic CAS No. 65997-17-3, Specific CAS No. 287922-11-6 and 1010446-98-6. See Section 16 for details.

^ See Section: 11

This product does not contain crystalline silica

Safety Information Sheet

Version: 2.0

Date of Issue: 8th July 2019

Date of First Issue: 20th June 2018



MoEL Public Notice No. 2016-19 requires SDS only for hazardous substances and mixtures / preparations. The Mineral fibre according Note Q has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in MoEL 2016-19 to be as informative as possible.

SECTION 4: First aid measures



Description of first aid measures

Inhalation

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

Skin Contact

IF ON SKIN (or hair): Wash with plenty of water. If irritation (redness, rash, blistering) develops, get medical attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms develop, obtain medical attention.

Ingestion

IF SWALLOWED: Do not induce vomiting wash out mouth with water. If symptoms occur obtain medical attention.

Indication of any immediate medical attention and special treatment needed

Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat.

Treat symptomatically

SECTION 5: Firefighting measures

Extinguishing media

Suitable Extinguishing Media

Non-combustible. Does not support combustion. Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions. Foam, water spray or fog.

Unsuitable extinguishing Media

Do not use water jet. Direct water jet may spread the fire.

Specific hazards arising from the chemical

None known.

Special protective equipment and precautions for fire fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing. Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Take off contaminated clothing and wash it before reuse. In case of inadequate ventilation wear respiratory protection.

Environmental precautions and protective procedures

Avoid release to the environment. Do not allow to enter drains, sewers or watercourses. If contamination of drainage systems or water courses is unavoidable, immediately inform appropriate authorities.

Methods and material for containment and cleaning up

Stop leak if safe to do so. Use vacuum equipment for collecting spilt materials, where practicable. Damp down to avoid dust generation. Transfer to a lidded container for disposal or recovery. Avoid dust generation. Respiratory protection is not necessary if room is well ventilated.

SECTION 7: Handling and storage

Precautions for safe handling

Ensure operatives are trained to minimise exposures. Ensure adequate ventilation. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Ensure suitable personal protection during removal of spillages. Good hygiene practices and housekeeping measures. Keep good industrial hygiene. Do not eat, drink or smoke at the work place.

Conditions for safe storage, including any incompatibilities

Keep only in the original container/package in a cool well-ventilated place. Keep away from food, drinks and animal food. Keep container tightly closed.

Storage temperature

Store at room temperature.

Incompatible materials

Avoid contact with moisture. Keep away from: Humidity

Safety Information Sheet

Version: 2.0

Date of Issue: 8th July 2019

Date of First Issue: 20th June 2018



MoEL Public Notice No. 2016-19 requires SDS only for hazardous substances and mixtures / preparations. The Mineral fibre according Note Q has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in MoEL 2016-19 to be as informative as possible.

SECTION 8: Exposure controls/personal protection

Exposure standards for chemicals, biological exposure standards, etc.

Occupational Exposure Limits

Not established

Biological limit value

Not established.

Exposure controls

Appropriate engineering controls

Ensure adequate ventilation. Good hygiene practices and housekeeping measures. Keep container tightly closed and dry. Store in a cool/low-temperature, well-ventilated (dry) place.

Individual protection measures, such as personal protective equipment (PPE)

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Ensure adequate ventilation. Keep good industrial hygiene. Contaminated clothing should be thoroughly cleaned. Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat. Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye/face protection



Eye Protection: Not normally required.

Recommended: Wear eye protection with side protection (EN166).

Skin protection



Hand protection:

Wear impervious gloves (EN374). Gloves should be changed if excessive exposure has occurred.

Body protection:

Wear suitable coveralls to prevent exposure to the skin. Wear work clothes with long sleeves.

Respiratory protection



In case of inadequate ventilation wear respiratory protection. A suitable dust mask or dust respirator with filter type A/P may be appropriate.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Solid Grey / Green Fibres
Odour	Not established
Odour Threshold	Not established
pH	7 - 8
Melting Point/Freezing Point	> 1000 °C
Initial boiling point and boiling range	Not established
Flash point	Not applicable
Evaporation Rate	Not established
Flammability (solid, gas)	Not flammable
Upper/lower flammability or explosive limits	Not established
Vapour pressure	Not established
Vapour density	Not established
Relative density	2.7 – 2.8 g/cm ³
Solubility(ies)	Insoluble in water.
Partition coefficient: n-octanol/water	Not established
Auto-ignition temperature	Not established
Decomposition Temperature	Not established

Safety Information Sheet

Version: 2.0

Date of Issue: 8th July 2019

Date of First Issue: 20th June 2018



MoEL Public Notice No. 2016-19 requires SDS only for hazardous substances and mixtures / preparations. The Mineral fibre according Note Q has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in MoEL 2016-19 to be as informative as possible.

Viscosity

Not applicable

Molecular mass

Not established

SECTION 10: Stability and reactivity

Chemical stability and possibility of hazardous reactions

Stable under normal conditions. Hazardous polymerisation will not occur.

Conditions to avoid

Keep away from acids and alkalis. Keep away from: Humidity

Incompatible materials

None known.

Hazardous decomposition product(s)

Carbon monoxide, Carbon dioxide.

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation

Possible – accidental exposure

Ingestion

Possible – accidental exposure

Skin Contact

Possible – accidental exposure

Eye Contact

Unlikely – accidental exposure

Health hazards information

Acute toxicity - Ingestion

Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.

Acute toxicity - Inhalation

Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 >20.0 mg/l.

Acute toxicity - Skin Contact

Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.

Skin corrosion/irritation

Based upon the available data, the classification criteria are not met.

Serious eye damage/irritation

Based upon the available data, the classification criteria are not met.

Respiratory or skin sensitization

Based upon the available data, the classification criteria are not met.

Germ cell mutagenicity

Based upon the available data, the classification criteria are not met.

Carcinogenicity

Based upon the available data, the classification criteria are not met.

IARC Classification: Group 3. Not classifiable as to its carcinogenicity to humans.

EU regulations: Note Q

Data shows that the classification as a carcinogen need not apply if it can be shown that the substance fulfils one of the following conditions:

— a short term biopersistence test by inhalation has shown that the fibres longer than 20 µm have a

weighted half-life less than 10 days; or

— a short term biopersistence test by intratracheal instillation has shown that the fibres longer than 20 µm

have a weighted half-life less than 40 days; or

— an appropriate intra-peritoneal test has shown no evidence of excess carcinogenicity; or

— absence of relevant pathogenicity or neoplastic changes in a suitable long term inhalation test.

Reproductive toxicity

Based upon the available data, the classification criteria are not met.

STOT - single exposure

Based upon the available data, the classification criteria are not met.

STOT - repeated exposure

Based upon the available data, the classification criteria are not met.

Aspiration hazard

Based upon the available data, the classification criteria are not met.

Other information

Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat.

Safety Information Sheet

Version: 2.0

Date of Issue: 8th July 2019

Date of First Issue: 20th June 2018



MoEL Public Notice No. 2016-19 requires SDS only for hazardous substances and mixtures / preparations. The Mineral fibre according Note Q has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in MoEL 2016-19 to be as informative as possible.

SECTION 12: Ecological information

Toxicity	Based upon the available data, the classification criteria are not met.
Persistence and degradability	Not readily biodegradable.
Bioaccumulative potential	Low bioaccumulation potential.
Mobility in soil	The product is predicted to have low mobility in soil. Insoluble in water.
Other adverse effects	None known.

SECTION 13: Disposal considerations

Disposal method	Dispose of waste according to applicable legislation. Do not discharge into drains or the environment, dispose to an authorised waste collection point.
Disposal precaution	Dispose of waste cans and containers according to local regulations.

SECTION 14: Transport information

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

	ADR/RID	IMDG	IATA/CAO
UN number	Not classified	Not classified	Not classified
UN proper shipping name	Not classified	Not classified	Not classified
Transport hazard class(es)	Not classified	Not classified	Not classified
Packing group	Not classified	Not classified	Not classified
Environmental hazards	Not classified	Not classified	Not classified
Special precautions for user	See Section: 2		

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture	
National regulations	
Industrial Safety and Health Act	Not listed
Toxic Chemical Control Act	Not listed
Dangerous Material Safety Control Act	Not listed
Waste Management Act	Not listed
Non-Regional	
Europe: Restrictions on use	Not restricted
United States (TSCA)	Glass, oxide, chemicals: Listed
IARC Monographs	Note Q Fibres- IARC Classification: Group 3.

SECTION 16: Other information

The following sections contain revisions or new statements: V2.0

Sections indicated with the following have been revised

Date of Issue 8th July 2019
Date of First Issue 20th June, 2018

References:

Existing Safety Data Sheet (SDS).

EU: Existing ECHA registration(s) for Glass, oxide, chemicals (CAS No. 65997-17-3).

The CAS number under which the Note Q fibres fall is 65997-17-3. Under this number the fibres are registered in the chemical registry systems in most countries in the world. This CAS number however is very broad. The specific chemistry of the bio-soluble fibre has been laid down in the CAS number 287922-11-6 and 1010446-98-6 and can be tracked in the CAS Registry System only.

Safety Information Sheet

Version: 2.0

Date of Issue: 8th July 2019

Date of First Issue: 20th June 2018



MoEL Public Notice No. 2016-19 requires SDS only for hazardous substances and mixtures / preparations. The Mineral fibre according Note Q has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in MoEL 2016-19 to be as informative as possible.

LEGEND

LTEL: Long Term Exposure Limit

DNEL: Derived No Effect Level

PBT: PBT: Persistent, Bioaccumulative and Toxic

IARC: International Agency for Research on Cancer

TLV: Threshold Limit Value (ACGIH)

EU: European Union

STEL: Short Term Exposure Limit

PNEC: Predicted No Effect Concentration

vPvB: very Persistent and very Bioaccumulative

BEI: Biological Exposure Indices (ACGIH)

TWA: Time Weighted Average

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Lapinus (Rockwool B.V.) gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Lapinus (Rockwool B.V.) accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.